



A Z U M A  
Design



# AS5039 TEST REPORT

Hinged door

**HINGED SECURITY SCREEN DOOR**

Manufactured By SecureView

Tested By Ashley Horne Date 24/4/15

Certified By Rob Irwin Date 24/4/15

Witnessed By Rob Irwin Date 24/4/15

**Details of Test Door**

Sample Identification Pre fab hinge door

Test Door Size (mm) 1020mm wide x 2195mm height

Gap Between Door and Mounting frame: Lock Side (mm) 2.5mm  
Hinge Side (mm) 3.3mm

Lock Description 3 point locking system


Hinge Description 75mm

Type of Material Used in Mounting Frame Pine

Constructional Description of Test Door Woven mesh infill hinged security door mounted in a timber frame.

---

AZUMA TESTING REPORT #AZT0080.15  
**HINGED SECURITY SCREEN DOOR**  
Dimensions (in mm):



Dimension A	867	Dimension F	180
Dimension B	2040	Dimension G	270
Dimension C	1160	Dimension H	200
Dimension D	975		
Dimension E	170		

Left or Right Hand Operation

Right



AZUMA TESTING REPORT #AZT0080.15

NATA Accredited Laboratory No: 15147

HINGED SECURITY SCREEN DOOR

CONCLUSION

<u>Test</u>	<u>Result</u>
Dynamic Impact test:	Pass
Lock and Hinge lever test:	Pass

SIGNATORY NAME Ashley Horne

SIGNATURE *Ashley Horne*

DATE 24/4/15